

Notice of Allowability

Application No.

10/714,084

Applicant(s)

KAWAHARA ET AL.

Examiner

Art Unit

Jean E. Lesperance

2629

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed December 26, 2006.
2. ☒ The allowed claim(s) is/are 1-7, 10-18, 21-29, and 32-36, and renumbered as 1-30.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material


5. ☐ Notice of Informal Patent Application

6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____

7. ☐ Examiner's Amendment/Comment

8. ☒ Examiner's Statement of Reasons for Allowance

9. ☐ Other _____


RICHARD HJERPE
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600

DETAILED ACTION

1. The amendment filed December 26, 2006 is entered and claims 1-7, 10-18, 21-29, and 32-36 are pending.

Allowable Subject Matter

2. Claims 1-7, 10-18, 21-29, and 32-36 are allowed.
3. The following is an examiner's statement of reasons for allowance: the claimed invention is directed to a method of displaying multiple two-dimensional windows with related content within three-dimensional display model.

Independent claims 1 and 12 identify a uniquely distinct feature "looking up an identifier for the second window in a lookup table that contains entries specifying relationships between windows, determining if the second window is related to the first window, if so, displaying content of the second window on the second surface of the 3D object, and if not, displaying content of the second window on a surface of a distant 3D object, which is not located in close proximity to the 3D object in the 3D display model".

Independent claim 23 identifies a uniquely distinct feature "a lookup mechanism configured to lookup an identifier for the second window in a lookup table that contains entries specifying relationships between windows and a determination mechanism configured to determine if the second window is related to the first window, wherein the display mechanism is further configured to display content of the second window on the second surface of the 3D object if the second window is related to the first window, and

Art Unit: 2629

wherein the display mechanism is further configured to display content of the second window on a surface of a distant 3D object, which is not located in close proximity to the 3D object in the 3D display model, if the title of the second window is not related to an identifier for the first window".

The closest arts, Suzuoki et al. and Kaneko, and Narin as discussed in the previous Office action, either singularly or in combination, fail to anticipate or render obvious the above limitations obvious.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean Lesperance whose telephone number is (571) 272-7692. The examiner can normally be reached on from Monday to Friday between 10:00AM and 6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe, can be reached on (571) 272-7691.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(571) 273-8300 (for Technology Center 2600 only)

Art Unit: 2629

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Jean Lesperance



Art Unit 2629

Date 3/16/2007



RICHARD HJERPE
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600